Carbohydrate Research, 249 (1993) C9–C10
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Adam, M.J. 77
Ando, T. 275
Anker, D. 19
Apostolopoulos, C.D. 399
Araki, K. 139

Barberousse, V. 39
Beattie, T.R. 259
Behrens, B.A. 265
Bellamy, F. 39
Braun, C. 77
Brennan, P.J. 383
Bröder, W. 221

Cherniak, R. 405
Chiang, Y.-c.P. 259
Couladouros, E.A. 399
Cuny, E. 305

Daffe, M. 383
Duker, J.M. 281

Ekberg, T. 117

Génu-Dellac, C. 1
Georgiadis, M.P. 399
Geßler, K. 327
Giudicelli, M.-B. 19
Goldstein, B.M. 95
Gosselin, G. 1
Green, J.R. 207
Gruppen, H. 345, 355, 369

Hasegawa, A. 275
Hindsgaul, O. 163
Hoffmann, R.A. 369
Horton, D. 39

Imbach, J.-L. 1
Immel, S. 305
Ishida, H. 275

Jünnemann, J. 91

Kamerling, J.P. 369
Kanazawa, M. 243
Kawasaki, T. 127
Kiso, M. 275
Knaus, E.E. 109
Kobayashi, S. 127
Kobayashi, Y. 57
Kodama, Y. 243
Koellner, G. 327
Kormelink, F.J.M. 345, 355, 369
Kunz, H. 221

Li, Y. 39
Lichtenthaler, F.W. 305
Lindner, H.J. 305
Lipka, P. 95
Lowary, T.L. 163

Maeta, H. 49
Magnusson, G. 117
Matsumoto, T. 49
McCarter, J.D. 77
McNeil, M. 383
Meyer, S.A. 405
Mitchell, T.B. 405
Mollova, N. 95
Morin, K.W. 109
Morris, L.C. 405
Mort, A.J. 265

Namchuk, M. 77

Obata, K. 127
O'Toole, J. 139

Pankiewicz, K.W. 95
Pedersen, C. 91
Picq, D. 19
Puech, F. 1

Qi, X. 265

Renaut, P. 39
Rönninger, S. 305

Saenger, W. 327
Samreth, S. 39
Schram, K.H. 95
Serianni, A.S. 281
Shoda, S.-i. 127
Steiner, T. 327
Stirtan, W. 253
Suzuki, K. 49

Taguchi, T. 243
Takahashi, Y. 57
Taylor, N.F. 207
Tejada, M.L. 207
Thiem, J. 91, 197
Thomé, M.-A. 19
Toscano, P.J. 139
Tsuchiya, T. 57
Tull, D. 77

Ueda, C. 57

Viëtor, R.J. 355
Vliegenthart, J.F.G. 369
Voragen, A.G.J. 345, 355, 369

Watanabe, K.A. 95
Welch, J.T. 139
Wiebe, L.I. 109
Wiesner, M. 197
Withers, S.G. 77, 253

Yang, S.S. 259
Yun, W.Q. 139

Zatorski, A. 95

Carbohydrate Research, 249 (1993) C11–C13
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Activation of glycosyl fluorides, "dibutylin diperchlorate" for, 49
Acylated and partially acylated glycosyl fluorides, preparation and reactions of, 197
Amino acid–sugar conjugates, stereoselective synthesis of. A novel class of amino sugars, 399
Amino-3-fluoro-2-hydroxybutanoyl] derivatives of kanamycins, study on fluorination–toxicity relationships. Syntheses of 1-*N*-[(2*R*,3*R*)- and (2*R*,3*S*)-4-, 57
Anchimeric assistance of a diallylamino group; application to the synthesis of some methyl aminofluoropentofuranosides, fluorination by, 19
Anomeric protection and activation based on the conversion of glycosyl azides into glycosyl fluorides, new method of, 221
Antithrombotic agents, potential, synthesis of the 2- and 4-monomethyl ethers and the 4-deoxy-4-fluoro derivative of 4-cyanophenyl 1,5-dithio-β-D-xylopyranoside as, 39
α-L-Arabinofuranosidases and (1 → 4)-β-D-arabinoxylan arabinofuranohydrolase, mode of action on alkali-extractable wheat-flour arabinoxylan, 345
Arabinogalactans of *Mycobacterium*, *Rhodococcus*, and *Nocardia spp.*, major structural features of the cell wall, 383
β-D-Arabinoxylan arabinofuranohydrolase and α-L-arabinofuranosides, mode of action on alkali-extractable wheat-flour arabinoxylan of (1 → 4)-, 345
Arabinoxylan, characterisation by ^{1}H NMR spectroscopy of oligosaccharides derived from alkali-extractable wheat-flour, 369
Arabinoxylans, mode of action of xylan-degrading enzymes from *Aspergillus awamori* on alkali-extractable cereal, 355

Blood-group A and B specified glycosyltransferases, recognition of synthetic deoxy and deoxyfluoro analogs of the acceptor α-L-Fuc*p*-(1 → 2)-β-D-Gal*p*-OR by the, 163
Brain-targeted 1-(2-deoxy-2-fluoro-β-D-ribofuranosyl)-(*E*)-5-(2-iodovinyl)uracil coupled to a dihydropyridine ⇋ pyridium salt redox chemical-delivery system, synthesis of, 109

Cellooligosaccharide derivatives using β-lactosyl fluoride, facile enzymatic synthesis of, 127
Conformations in aqueous solution, (^{13}C)-substituted sucrose: ^{13}C–^{1}H and ^{13}C–^{13}C spin coupling constants to assess furanose ring and glycosidic bond, 281
Conformations of 2,6-*cis*- and 2,6-*trans*-substituted dihydropyran-3-ones, solid-state, 305
Cryptococcus neoformans, glucuronoxylomannan of, obtained from patients with AIDS, 405
Crystal structures of cyclomaltoheptaose (β-cyclodextrin) complexed with ethylene glycol · $8H_2O$ and glycerol · $7.2H_2O$, 327
Cyclomaltoheptaose (β-cyclodextrin) complexed with ethylene glycol · $8H_2O$ and glycerol · $7.2H_2O$, crystal structures of, 327

Defluorination of 4-deoxy-4-fluoro-D-glucose in *Pseudomonas putida*, 207
Deoxyfluoro analogs of the acceptor α-L-Fuc*p*-(1 → 2)-β-D-Gal*p*-OR by the blood-group A and B specified glycosyltransferases, recognition of synthetic deoxy and, 163
Deoxy-4-fluoro-D-glucose in *Pseudomonas putida*, defluorination of 4-, 207
Deoxy-2-fluoro mono- and oligo-saccharide glycosides from glycals and evaluation as glycosidase inhibitors, syntheses of 2-, 77
Diallylamino group; application to the synthesis of some methyl aminofluoropentofuranosides, fluorination by anchimeric assistance of a, 19
1,2-Di-*O*-acetyl-5-*O*-benzoyl-3-deoxy-3-fluoro-D-xylofuranose. A versatile precursor for the synthesis of 3-deoxy-3-fluoro-β-D-xylofuran-

osyl nucleosides as potential antiviral agents, 1
Di- and tri-saccharides, facile synthesis of acetylated glycosyl fluorides derived from, 91
"Dibutylin diperchlorate" for activation of glycosyl fluorides, 49
Dideoxy-2-fluoro-3-*C*-methylpentose-containing nucleosides via [3,3]-sigmatropic rearrangements, synthesis of 2,3-, 139
Diethylaminosulfur trifluoride (DAST) and formation of unexpected products, fluorination of methyl 6-deoxy-1-thiohexopyranosides with, 275
Difluoro-1,3-dienes with aldehydes, synthetic approach to 4-deoxy-4,4-difluoropyranosides via cycloaddition of 2,4-dialkoxy-1,1-, 243
Difluoromethylenediphosphonates substituted with fluorine at C-2′ of the adenosine, synthesis of thiazole-4-carboxamide-adenine, 95
Difluoropyranosides via cycloaddition of 2,4-dialkoxy-1,1-difluoro-1,3-dienes with aldehydes, synthetic approach to 4-deoxy-4,4-, 243
Dihydropyran-3-ones, solid-state conformations of 2,6-*cis*- and 2,6-*trans*-substituted, 305
Dihydropyridine ⇋ pyridium salt redox chemical-delivery system, synthesis of brain-targeted 1-(2-deoxy-2-fluoro-β-D-ribofuranosyl)-(*E*)-5-(2-iodovinyl)uracil coupled to a, 109

Enzymatic synthesis of cellooligosaccharide derivatives using β-lactosyl fluoride, facile, 127
Enzymes from *Aspergillus awamori*, mode of action on alkali-extractable cereal arabinoxylans of xylan-degrading, 355
Enzymically derived oligosaccharides from alkali-extractable wheat-flour arabinoxylan, characterisation by ^{1}H NMR spectroscopy, 369
Ethylene glycol · $8H_2O$ and glycerol · $7.2H_2O$ complexes of cyclomaltoheptaose (β-cyclodextrin), crystal structures of, 327

Facile enzymatic synthesis of cellooligosaccharide derivatives using β-lactosyl fluoride, 127
Facile synthesis of acetylated glycosyl fluorides derived from di- and tri-saccharides, 91
Fluorination by anchimeric assistance of a diallylamino group; application to the synthesis of some methyl aminofluoropentofuranosides, 19
Fluorination correlation, synthesis DL-1-deoxy-1-fluoro-6-*O*-methyl-*chiro*-inositol: confirmation of a structural-DAST, 259
Fluorination of methyl 6-deoxy-1-thiohexopyranosides with diethylaminosulfur trifluoride (DAST) and formation of unexpected products, 275
Fluorination-toxicity relationships. Syntheses of 1-*N*-[(2*R*,3*R*)- and (2*R*,3*S*)-4-amino-3-fluoro-2-hydroxybutanoyl] derivatives of kanamycins, study on, 57
Fluorine-labeled glycogen particles, direct ^{19}F NMR titration of phosphorylase molecules binding to, 253
Fluorolactose and derivatives, 2-(trimethylsilyl) ethyl glycosides: synthesis of 3′- and 4′-deoxy, 117
Fluoro-D-xylofuranose. A versatile precursor for the synthesis of 3-deoxy-3-fluoro-β-D-xylofuranosyl nucleosides as potential antiviral agents, 1,2-di-*O*-acetyl-5-*O*-benzoyl-3-deoxy-3-, 1
Furanosyl linkages in liquid hydrogen fluoride, highly selective cleavage of, 265

Glucuronoxylomannan of *Cryptococcus neoformans* obtained from patients with AIDS, 405
Glycosidase inhibitors, syntheses of 2-deoxy-2-fluoro mono- and oligo-saccharide glycosides from glycals and evaluation as, 77
Glycosyl fluorides derived from di- and tri-saccharides, facile synthesis of acetylated, 91
Glycosyl fluorides, "dibutylin diperchlorate" for activation of, 49
Glycosyl fluorides, preparation and reaction of acylated and partially acylated, 197
Glycosyl fluorides, new method of anomeric protection and activation based on the conversion of glycosyl azides into, 221

Hydrogen fluoride, highly selective cleavage of furanosyl linkages in liquid, 265

Inositol: confirmation of a structural-DAST fluorination correlation, synthesis of DL-1-deoxy-1-fluoro-6-*O*-methyl-*chiro*-, 259

Kanamycins, study on fluorination–toxicity relationships. Syntheses of, 1-*N*-[(2*R*,3*R*)- and (2*R*,3*S*)-4-amino-3-fluoro-2-hydroxybutanoyl] derivatives of, 57

Mode of action of (1 → 4)-β-D-arabinoxylan arabinofuranohydrolase and α-L-arabinofuranosidases on alkali-extractable wheat-flour arabinoxylan, 345
Mycobacterium, *Rhodococcus*, and *Nocardia spp.*, major structural features of the cell wall arabinogalactans of, 383

New method of anomeric protection and activation based on the conversion of glycosyl azides into glycosyl fluorides, 221
NMR titration of phosphorylase molecules binding to fluorine-labeled glycogen particles, direct ^{19}F, 253

Oligosaccharides derived from alkali-extractable wheat-flour arabinoxylan by digestion with endo-(1 → 4)-β-D-xylanase III from *Aspergillus awamori*, characterisation by ^{1}H NMR spectroscopy, 369

Phosphorylase molecules binding to fluorine-labeled glycogen particles, direct ^{19}F NMR titration of, 253
Preparation and reactions of acylated and partially acylated glycosyl fluorides, 197
Pseudomonas putida, defluorination of 4-deoxy-4-fluoro-D-glucose in, 207

Recognition of synthetic deoxy and deoxyfluoro analogs of the acceptor α-L-Fuc*p*-(1 → 2)-β-D-Gal*p*-OR by the blood-group A and B specified glycosyltransferases, 163

Selective cleavage of furanosyl linkages in liquid hydrogen fluoride, highly, 265
Sigmatropic rearrangements, synthesis of 2,3-dideoxy-2-fluoro-3-*C*-methylpentose-containing nucleosides via [3,3]-, 139
Solid-state conformations of 2,6-*cis*- and 2,6-*trans*-substituted dihydropyran-3-ones, 305
Sucrose, (^{13}C)-substituted: ^{13}C–^{1}H and ^{13}C–^{13}C spin coupling constants to assess furanose ring and glycosidic bond conformations in aqueous solution, 281
Sugar–amino acid conjugates, stereoselective synthesis of. A novel class of amino sugars, 399
Sugars, amino, a novel class of. Stereoselective synthesis of sugar-amino acid conjugates, 399
Syntheses of 2-deoxy-2-fluoro mono- and oligosaccharide glycosides from glycals and evaluation as glycosidase inhibitors, 77
Synthesis of 3′- and 4′-deoxyfluorolactose and derivatives, 2-(trimethylsilyl)ethyl glycosides:, 117
Synthesis of brain-targeted 1-(2-deoxy-2-fluoro-β-D-ribofuranosyl)-(*E*)-5-(2-iodovinyl)uracil coupled to a dihydropyridine ⇋ pyridium salt redox chemical-delivery system, 109
Synthesis of DL-1-deoxy-1-fluoro-6-*O*-methyl-*chiro*-inositol: confirmation of a structural-DAST fluorination correlation, 259
Synthesis of 2,3-dideoxy-2-fluoro-3-*C*-methylpentose-containing nucleosides via [3,3]-sigmatropic rearrangements, 139
Synthesis of the 2- and 4-monomethyl ethers and the 4-deoxy-4-fluoro derivative of 4-cyanophenyl 1,5-dithio-β-D-xylopyranoside as potential antithrombotic agents, 39
Synthesis of thiazole-4-carboxamide-adenine difluoromethylenediphosphonates substituted with fluorine at C-2′ of the adenosine, 95
Synthetic approach to 4-deoxy-4,4-difluoropyranosides via cycloaddition of 2,4-dialkoxy-1,1-difluoro-1,3-dienes with aldehydes, 243

Thiazole-4-carboxamide-adenine difluoromethylenediphosphonates substituted with fluorine at C-2′ of the adenosine, synthesis of, 95
Thiohexopyranosides with diethylaminosulfur trifluoride (DAST) and formation of unexpected products, fluorination of methyl 6-deoxy-1-, 275
2-(Trimethylsilyl)ethyl glycosides: synthesis of 3′- and 4′-deoxyfluorolactose and derivatives, 117

Versatile precursor for the synthesis of 3-deoxy-3-fluoro-β-D-xylofuranosyl nucleosides as potential antiviral agents, 1,2-di-*O*-acetyl-5-*O*-benzoyl-3-deoxy-3-fluoro-D-xylofuranose. A, 1

Xylan-degrading enzymes from *Aspergillus awamori*, mode of action on alkali-extractable cereal arabinoxylans, 355
β-D-Xylopyranoside, 4-cyanophenyl 1,5-dithio-β-D-, synthesis of the 2- and 4-monomethyl ethers and the 4-deoxy-4-fluoro derivative of, as potential antithrombotic agents, 39